

From: Ex. 4 - CBI
Sent: 2/9/2012 11:36:17 AM
To: Fred Foreman/ESC/R3/USEPA/US@EPA; Terry Simpson/ESC/R3/USEPA/US@EPA
CC: Colleen Walling/ESC/R3/USEPA/US
Subject: Fw: 180-3644-1 - Validated Electronic Data for Dimock Residential Groundwater

Per Fred's request.

Ex. 4 - CBI

----- Forwarded by Ex. 4 - CBI on 02/09/2012 11:36 AM -----

From: Ex. 4 - CBI
To: Richard Fetzer/R3/USEPA/US@EPA
Cc: Ex. 4 - CBI gnance@techlawinc.com
Date: 02/08/2012 05:21 PM
Subject: 180-3644-1 - Validated Electronic Data for Dimock Residential Groundwater

Richard Fetzer
US EPA Region 3
1650 Arch Street
Philadelphia, PA 19103-2029

Dear Richard,

Attached to this message you will find electronic files containing the validation report and validated inorganic data for the Dimock Residential Groundwater site, Case # 180-3644-1. The validation of this case was completed by the Region III Environmental Services Assistance Team (ESAT).

Please contact ESAT's RPO, Colleen Walling by phone at 410-305-2763 or e-mail at Walling.Colleen@epa.gov if additional assistance is needed.

TO # 0037 TDF # 02025A

[attachment "180-3644-1 02025A.PDF" deleted by Terry Simpson/ESC/R3/USEPA/US] [attachment "Project 180-3644-1_Validated_Metals_DSf.xls" deleted by Terry Simpson/ESC/R3/USEPA/US]

Sincerely,

Ex. 4 - CBI